State of Wisconsin Department of Natural Resources Private Water Systems Section - DG/2 dnr.wi.gov

High Capacity, School or Wastewater Treatment Pla Well Approval Application Form 3300-256 (R 7/05)

Notice: Prior department approval is required for the construction, reconstruction or operation of a high capacity well or system of high capacity wells, a school well or a wastewater treatment plant well in accordance with Section NR 812.09(4)(a), Wisconsin Administrative Code. Personally identifiable school well or a wastewater treatment plant wen in accordance with Section INK 612.09(4)(a), visconsin Administrative Code. Personally identifiable information collected on this form, including such data as your name, address and phone number, will be used for management of department programs and is unlikely to be used for other purposes. This information will be addressable under Wisconsin's Open Records Laws, ss. 19.32 - 19.39, Wis. Stats.

Use this form to request an approval for installation of a well or wells on a high capacity property, seek approval to make other changes to a high capacity property or to modify a well on a high capacity property, as required by NR 812.09(4)(a), Wisconsin Administrative Code. Refer to definitions of high capacity well, high capacity property and high capacity well system on page 5.

This form is not intended to be used when seeking approval for construction or modification of wells serving water systems regulated under ch. NR 811, Wis. Adm. Code. Any water system serving 7 or more homes, 10 or more mobile homes, 10 or more apartments, 10 or more condominiums, or 10 or more duplexes is regulated under ch. NR 811, Wis. Adm. Code. See NR 811.01, Wis. Adm. Code for applicability requirements.

Applicant Information				- opproadility le	quiremer	its.
Application Prepared By (Name and Title	e)	lo				
MIKE WETSTEIN	U (OWNER)	Company	ttstei	N WEL	10	Rilling
Telephone Number	Fax Number	Jo., y	Clair	E	State	ZIP Code
715-874-6789 Property Ownership Information	715-874-67	199	E-Mail Add	ress		
Property owner, if different than applicant  OAUE GRAZIANO  Street Address	(Name of Person and Title)	Company				
314 5+H AVE Telephone Number 715-839-7986	Fax Number	city Equ (	C. A. RE E-Mail Addr	ess	State	ZIP Code 54 703
Well Operator Information						
Well operator if different than owner (Nam	e of Person and Title)	Company				
Street Address		City			State	ZIP Code
Telephone Number	Fax Number		E-Mail Addre	ss		
Property Information						
Enter the High Capacity Well File Number be property at the time of application, enter "NO or use the compact disk of departmental well "Location" section. File number format is as for County	low if the property is already a l NE." NOTE: Find the file number data that is issued to drillers an ollows: (1 or 2 digits for county)	high capacity per in upper right d pump install - (1 digit for we	ers. On the c ell classificati	ompact disk, sec on) - (1 to 4 digit	e "File loots for ass	capacity well approval, cation" in red print in signed property no )
EAU CLAIRE	- A		Hi	gh Capacity We	ell File N	0.
Submittal Purpose	BRUNSWie	K		Wor	NE	
Check all that apply:						
Install one or more new wells with a	capacity greater than 70 gal	lons per mini	ute.			
S WOLD LICAL MENS MILLS	capacity less than 70 gallons	s per minute	on a high ca	apacity proper	tv	
- replace one of more wells with a ca	Dacity less than 70 gallons -		01-01 2002-1100-1	acity property		
- 1000 House of Thore wells with a	Capacity less than 70 gotto-			Canacity press	sature:	
L	Capacity wells after a change	e in ownersh	in (No on-	lination *		
Renew a previous approval that has	expired.		ib. (Ino app	ilcation fee rec	quired.)	
Well (or wells) will serve a school or v	Vastewater treatment plant	See definition	DO 00.			
Other, explain	- Property Property	oce deminio	ns on page	5.		

Site Status Information	Form 3300-256 (R 7/05)	Page 2 of 6
Determine the site of the		
Determine the site status using the internet or the compact disk of departmental well dand the information supplied by the property owner. Internet address is <a href="mailto:dnr.wi.gov/org.">dnr.wi.gov/org.</a> YES NO	ata that is issued to drillers and pun	np installers
YES NO	Emer 125 of	NO for each
Has the property boundary changed since the most recent high capacity well yet a high capacity property, check NO.	ll approval was issued? If the prope	arte to a se
Has there been a change in well ownership since the last approval was written if YES, name of current owner:	en?	aty is not
	Date of purchase:	
Has there been a change in well operator since the last approval was written?  If YES, name of current operator:		
	Date of change:	
Will a proposed well be connected to a plumbing system that is supplied by ot supply, etc.)? If YES, include a schematic drawing showing backflow protection.		
supply, etc.)? If YES, include a schematic drawing showing backflow protection.  Is a proposed well be connected to a plumbing system that is supplied by ot supply, etc.)? If YES, include a schematic drawing showing backflow protection.	on.	
Is a proposed well within 1,200 feet of a landfill? Determine if there are any lar also check the adjacent section or sections.  If YES, list the landfill site ID Number:	ndfills nearby, using the well informa location. If the well is near a section	ation line.
OR Landfill locatio	n: (Township/Range/Section)	•
☐ X Is a proposed well an		
Is a proposed well on a property that has a contaminated site? If YES, list the Redevelopment Tracking System) Number here and specify if the site is open of	BRRTS (Bureau for Remediation ar	nd
X is a proposed well as	Doen D	Closed
Is a proposed well on a property that has a groundwater use restriction recorde number, as assigned to the contaminated site by the DNR remediation and rede	d on the deed? If YES, list the BRI	RTS
N is a proposed well		
Is a proposed well on a property that is listed on the department's registry of clo restriction? See compact disk or internet at <a href="mailto:maps.dnr.state.wi.us/imf/dnrimf.jsp">maps.dnr.state.wi.us/imf/dnrimf.jsp</a>		vumber
Is a proposed well to be used for a public water supply system that serves 25 or water system" in the definitions section on page 5.	more people? See definition of a "r	nubli-
by the department and/or contact the regional DND area? Refer to the list o	f Special casing aroon that :-	had
Has the number of wells or pumping capacity in an existing well increased since  Approval was issued?	AL	
Has the number of wells decreased since the most recent high	the most recent high capacity well	
Has the number of wells decreased since the most recent high capacity well approach to a non-pressurized starses with the capacity well approach to a non-pressurized starses with the capacity well approach to the cap	roval? If the property is not yet a hig	ıh
proposed or propos	r in use?	
to a storage pond?		
- Capacity greater than 1 000 gallons assessed	e?	
1,200 feet of a quarty?		
Is a proposed well located in a floodplain or floodway?		
Are any existing well installations on the high capacity property out of compliance of Administrative Code?	with Chapter NR 812, Wisconsin	
עבן איווי the well be used as a source of bottled water?		
Are you seeking a variance to construct a well that has a capacity of less than 70 g	rallons per minute to low consetutions	- II
Is the property served by a community water system?		eil

**Existing Well Information** Page 3 of 6 Enter the following information on all existing wells on the property, if more than four wells, submit additional sheets: (North Well, etc.): Well Number Assigned by Owner (001, 002, etc.): (ግር) WI Unique Well Number or NA if no ററ Permanent DNR High Capacity Well Number or N/A if none: Public Water System ID Number, if Public (if not public, NONE): DOWE Mouse Potable or Non-Potable Use: None Nowe Potable Type of Well (Irrigation, Industrial, Potable Potable Residential, etc.): Potable RESIDENT Requested Average Water Usage per RESIDENTIA RESIDENTIA RESIDENTIA Day in Gallons: <u> 2000</u> 2000 Requested Maximum Water Usage <u>2000</u> 2000 per Day in Gallons: 5000 <u> 5000</u> Seasonal? (April to October, Year 5000 Around, etc.): YEAR AROUNT Approved Pumping Capacity if YEAR AROUND YEAR AROUND AROUND Previously Approved (gpm): Current Pump Type & Capacity (gpm): HP 15 6Pm LHD 15 GPM Proposed Pump Type & Capacity If 140 15 GPM 140 15 GPM Change Requested (gpm): Pump Discharge Type (Over Top of Casing Seal, Pitiess, etc.): PITIESS Pitless Discharge Location (Building Pressure <u>Pitless</u> BUILDING Pitless Tank, Pond, etc.): BuilDing BuilDing PRESSURE BUILDING PRESSURE Height of Well Casing Above Ground PRESSURE PRESSURE in Inches: STI INCHES 23 INCHES Potential Contaminant Sources and <u>iniches</u> 22 INCHES SEE WEIL SEE WELL Distance: SEE WEIL ~QQ SEE WELL Well Loc: Quarter Quarter Section 100 SE 1/4 of SW 1/4 <u>-00</u> 1/4 of SE or Government Lot Number 5W1/4 SE 1/4 of SW 1/4 SE 1/4 of SW 1/4 Section or French Long Lot No. 2 ۲, Township: ) 26 N 26 Range (Select E or W): N 26 26 10 Je 🛛 w 10 JE 🛛 W Latitude (Degrees and Minutes) R 10 Xw 440 4 4 · 45 Longitude (Degrees and Minutes) . 45 424 아니 · 33 09 0 33 GPS Map Datum (WGS84, 0 WTM91, etc.) 091 0 81 WGS Include as much of the following information as practical for wells that do not have well construction records attached to the application, however if the well construction record is attached, applicant may leave the following rows blank. 08-08-5015 Drilled by (Name of Drilling Firm): 5105-01-80 07-30-2013 HSTEIN WELL Drilling Method(s) (Rotary, WEHSTEIN WEIL WEHSTEIN WELL wettstein well Percussion, Etc.) PERCUSSION PERCUSSION PERCUSSION Well Depth in Feet: PERCUSSION Upper Enlarged Drillhole Diameter in 84 84 Inches and Depth in Feet: inches, feet Lower Drillhole Diameter in Inches inches, feet inches. feet Inches, feet and Depth in Feet: inches. Well Casing Diameter in Inches and o inches, feet feet 6 inches. feet 6 inches, 84 feet Depth in Feet: 6 inches 16 feet Well Casing Material and Wall inches. feet h inches 76 feet inches 76 feet Thickness: 885. 139te wan New Steel .288 NEW STEEL . 288 Annular Space Material Between NEW STEEL .288 Casing and Drilihole Wall: is There a Well Screen (Y) or N) If so, Screen Material?: Stainless Steel Stainless steel stainless steel STAINLESS STEEL

Proposed Well Information		1 age + 01 (
Enter the following information on al	proposed wells on the property, if more than two we	No. 20 It
Well Name Assigned by Well Owner (North Well, etc.):	The state of the s	is or alternate construction, submit additional sheets:
Well Number Assigned by Owner (001, 002, etc.):	005	m m l
Well Loc: Quarter Quarter Section or French Long Lot Number	SE 1/4 of Su) 1/4 of Section 2	SE 1/4 of St.) 1/4 of Section 2
or Government Lot Number	W. C.	SE 1/4 of SW 1/4 of Section 2
Township & Range (Select E or W	T 26 N.R LO DE MW	
Latitude (Degrees and Minutes)	- EXACT DUPLEX	
Longitude (Degrees and Minutes)	LOCATIONS NOT FINAL .	· EXACT DUPLEX
GPS Map Datum (WGS84, WTM91, etc.)	1,11011	LOCATIONS NOT FINAL .
Type of Well (Imigation, Industrial, Residential, etc.):	Polable	Potable
Drilling Method(s) (Rotary, Percussion, Etc.):	Type: RESIDENTIAL Non-Potable	Type: RESIDENTIA   Non-Potable
Anticipated Geological Materials and I	Depths that Are Expected During Drilling:	
Material and Depth Interval:		
Material and Depth Interval:	from to	BR JAND+GRAVE from 0. to 84
Material and Depth Interval:	from ' to	from ' to
Material and Depth Interval:	from ' to	from ' to
Material and Depth Interval:	from	from ' to
Drillhole Diameter and Anticipated Dep	oth Intervals:	from ' to
Diameter and Depth Interval:	6" from 0 to 84	6" from 0' to 84
Diameter and Depth Interval:	from to	
Diameter and Depth Interval:	from	from 'to
Permanent Casing or Liner Diameter a Diameter and Wall Thickness	nd Wall Thickness at Anticipated Depth Intervals:	I from ' to
at Depth Interval:	6 "diam/, 288 "thick 0' to 76 '	6 "diam/, 288" thick 0' to 76 '
Olameter and Wall Thickness at Depth Interval:		
Permanent Casing or Liner Material, if	"diam/ "thick 'to • Used:	"diam/ "thick 'to '
Casing Joints (Welded, T and C. etc.)	TANDC	Port - Co
Material and Weight	NEW STEET	NAW STEEL
at Depth Interval: Material and Weight	A53 B / 20 lbs/foot 0' to 76 '	A53 B / 20 lbs/foot 0' to 76 '
at Depth Interval:	/ lbs/foot ' to '	/ lbs/foot 'to '
Screen Material, Slot Size in Inches and Depth Interval or N/A if none:	910. 15 to 184 (135) to 84	STRINIESS OID STEEL USION TO THE
Casing to Screen Joint (Welded, T and C, K Packer, etc.)	V Parlen	
Annular Space Material Including Filter	Pack Material, If Used:	K PACKER
Material and Depth Interval:	/ 0, (0 ,	/ 0' to ·
Material and Depth Interval:	/ ' to '	/ ' to '
Proposed Average Water Usage Per Day in Gallons:	20%	2000
Proposed Maximum Water Usage Per Day in Gallons:	_500ტ	<u>5000</u>
Seasonal? (April to October, Year Around, etc.):	YEAR AROUND	
Proposed Pump Type & Capacity (gpm):	1. Hp 15 GPM	YEAR AROUND
Discharge Type (Over Top of Casing Seal, Pitless Adapter or Unit):	Pitless	1 Hp 15 6Pm
Discharge Location (Building Pressure	Building PRESSURE	MHIESS
Tank, Pond, etc.): Distance and Direction to Nearest		Building PRESSURE
Public Utility Well & Well Name: Distance to Other Potential	15 miles Northeast	15 miles Northeast
Contaminant Sources: Distance to Other Potential	Duplex septic TANKS AND	DRAIN TIEIDS 757 to
Contaminant Sources:	1254 AT EACH DUDIE	
eave Blank, for Department use only		

Proposed Well Information		
Enter the following information on all	proposed wells on the property, if more than two well	e or alternate construction and the text
Well Name Assigned by Well Owner (North Well, etc.):	The state of the s	S of enemals consuderion, submit auditional sheets:
Well Number Assigned by Owner (001, 002, etc.):	007	008
Well Loc: Quarter Quarter Section or French Long Lot Number	SE 1/4 of SU 1/4 of Section 2	SE 1/4 of SW 1/4 of Section 2
or Government Lot Number	- Control of the second of the	SE 11701 DCC 114 01 Section
Township & Range (Select E or W)	T 26 N.R IO DE XW	T 26 N.R 10 DE XW
Latitude (Degrees and Minutes)	EXACT DUPLEX	
Longitude (Degrees and Minutes)	LOCATIONS NOT FINAL .	
GPS Map Datum (WGS84, WTM91, etc.)		LOCATIONS NOT FINAL
Type of Well (Irrigation, Industrial,	X Potable	Potable
Residential, etc.):  Drilling Method(s) (Rotary,	Type: RESIDENTIAL Non-Potable	Type: RESI DENTIAL Non-Potable
Percussion, Etc.):		
Anticipated Geological Materials and I	Depths that Are Expected During Drilling:	
Material and Depth Interval:	BR SAN O4 GRAVETOM 0' to 84	BRYAND+GRAVE from 0' to SL
Material and Depth Interval:	from to	from ' to
Material and Depth Interval:	from ' to '	from ' to
Material and Depth Interval:	from ' to '	from ' to
Material and Depth Interval:	from ' to '	
Drillhole Diameter and Anticipated Dep	oth Intervals:	from ' to
Diameter and Depth Interval:	6" from O'to 84 '	6" from 0 to 84
Diameter and Depth Interval:	from ' to '	from to
Diameter and Depth Interval:	from ' to '	
Permanent Casing or Liner Diameter a	and Wall Thickness at Anticipated Depth Intervals:	from ' to
Diameter and Wall Thickness at Depth Interval:	6 "diam/, 288 "thick 0' to "76 '	f or a selfor
Diameter and Wall Thickness		6 ° diam/, 288 ° thick 0' to 76 '
at Depth Interval: Permanent Casing or Liner Material, I	" diam/ " thick ' to '	"diam/ "thick to '
Casing Joints (Welded, T and C.		
elc.) Material and Weight	TANDC	TANDC
at Depth Interval:	453 B 1 50 lbs/foot 0, to 19 .	A53 B / 20 lbs/foot 0' to 76
Material and Weight at Depth Interval:	/ ibs/foot 'to '	/ ibs/foot 'to '
Screen Material, Slot Size in Inches and Depth Interval or N/A if none:	010. • P8 at 27 \- Tole Vaste easlwinte	Stainless , 010
Casing to Screen Joint (Welded, T		Steel 15104 1 75. 10 84
and C, K Packer, etc.) Annular Space Material Including Filter	K PACKER	K PACKER
Material and Depth Interval:		
Material and Depth Interval:	/ 0° to '	/ 0 to ·
Proposed Average Water Usage Per	/ ' to '	/ ' to '
Day in Gallons:	2000	2000
Proposed Maximum Water Usage Per Day in Gallons:	<u> 5</u> වුරු	5000
Seasonal? (April to October, Year		
Around, etc.): Proposed Pump Type & Capacity	YEAR AROUND	YEAR AROUND
(gpm): Discharge Type (Over Top of Casing	I Hp 15 GPM	1 Hp 15 6Pm
Seal, Pitless Adapter or Unit):	Pitless	RHIESS
Discharge Location (Building Pressure Tank, Pond, etc.):	Building PRESSURE	BuilDing PRESSURE
Distance and Direction to Nearest Public Utility Well & Well Name:	15 miles NORTHEAST	
Distance to Other Potential		15 miles NORTHEAST
Contaminant Sources: Distance to Other Potential	Duplex septic TANKS AND	DRAINTIELDS 75A to
Contaminant Sources:	1254 AT EACH DUDIE	<u> </u>
Leave Blank, for Department use only		
		According to the second

Proposed Well Information		Page 4 of
Enter the following information on a	Droposed wells on the property if	
(INDIEST AVEIL, OC.):	proposed wells on the property, if more than two we	elis or alternate construction, submit additional sheets:
Well Number Assigned by Owner (001, 002, etc.):	009	
Well Loc: Quarter Quarter Section or French Long Lot Number	C.C.	0010
or Government Lot Number	SE 1/4 of SU 1/4 of Section 2	SE 1/4 of SW 1/4 of Section 2
Township & Range (Select E or W	T 26 N.R IO TE Mu	
Latitude (Degrees and Minutes)	EXACT DUPLEX	
Longitude (Degrees and Minutes)	1000 Ation County County	· Exact Duplex
GPS Map Datum (WGS84, WTM91, etc.)	ELITATION OF THE PROPERTY OF	LOCATIONS NOT FINAL .
Type of Well (Irrigation, Industrial, Residential, etc.):	Type: Dec. De Potable	Time: (2) Potable
Drilling Method(s) (Rotary, Percussion, Etc.):	Type: RESIDENTIAL Non-Potable	Type: RESIDENTIA   Non-Potable
Anticipated Geological Materials and I	Depths that Are Expected During Drilling:	
watenai and Depth Interval:	BR SAN O+ GRAVETOM 0' to 84	i Ponta Pro
Material and Depth Interval:	from ' to	BRJAND4GRAVE from 0. to 81
Material and Depth Interval:	from ' to	from ' to
Material and Depth Interval:	from to	from ' to
Malerial and Depth Interval:	£	from ' to
Drillhole Diameter and Anticipated Dep	oth Intervals:	from to
Diameter and Depth Interval:	6" from 0' to 84	6" from 0' to 8H
Diameter and Depth Interval:	from 'to	
Diameter and Depth Interval:		from 1 to
Permanent Casing or Liner Diameter a	nd Wall Thickness at Anticipated Depth Intervals:	from 'to '
at Depth Interval:	1	
Diameter and Wall Thickness		6 "diam/, 288 " thick 0' to 76 '
at Depth Interval: Permanent Casing or Liner Material, if	"diam/ "thick 'to '	"dīam/ "thick 'to '
Casing Joints (Welded, T and C.		
etc.) Material and Weight	TAND C NEW STEET	TANDC
at Depth Interval: Material and Weight	A53 B / 20 lbs/foot 0' to 76 '	18 / 20 lbs/foot 0' to 76 .
at Depth Interval:	/ lbs/foot 'to '	A53 13 1/ 20 lbs/foot 0' to 76 '
Screen Malerial, Slot Size in Inches and Depth Interval or N/A if none:	oio. Hawless seek stall yask scalwatt	Stainless old
and C. K Packer, etc.)	V Parles	STEE 15107 "1 75. 10 84 .
Annular Space Material Including Filter	Pack Material, If Used:	K PACKER
Material and Depth Interval:	/ 0' to '	
Material and Depth Interval:	/ ' to '	/ 0' to ·
Proposed Average Water Usage Per Day in Gallons:	2000	2000
Proposed Maximum Water Usage Per Day in Gallons:	500∂	<u>දරග</u> <u>5</u> ලුර
Seasonal? (April to October, Year Around, etc.):	YEAR AROUND	
Proposed Pump Type & Capacity (gpm):	L Ho 15 GPM	YEAR AROUND
Discharge Type (Over Top of Casing Seal, Pilless Adapter or Unit):	Pitless	140 15 6Pm
Discharge Location (Building Pressure Tank, Pond, etc.):	Building PRESSURE	Mitless
Distance and Direction to Nearest		Building PRESSURE
Public Utility Well & Well Name: Distance to Other Potential	15 miles northeast	15 miles NORTHEAST
Contaminant Sources:	Duplex septic tanks AND	DRAIN TIEIDS 75A to
Distance to Other Potential Contaminant Sources:	3 A - (A) - 1 - 1	
Leave Blank, for Department use only	125 TH AT EACH DUPLE	<b>A</b>

## Required Attachments

- Attach one of the maps described in A. or B., below. Plot the existing and proposed well locations on the map. For wells that have a Wisconsin Unique Well Number or a Permanent High Capacity Well Number, plot the well locations with one of those numbers.
  - A. Copy of a plat map with the property boundary clearly shown. If the property is contiguous with properties owned by the same owner in another township, include a copy of that township map too, showing the property boundaries. If the property owner listed on the plat map is different from the current owner, list the date or dates, that the current property owner purchased the
  - B. Map of the property prepared by a licensed land surveyor and the property description as described by the surveyor.
- 2. Sketch map showing all of the following that are planned or exist within 300 feet of each proposed well: proposed well location; other wells; property boundary; wetlands; potential contaminant sources (septic tank and drainfield, petroleum storage tanks, sewer lines, etc.); buildings and north arrow. If no pertinent features to map within 300 feet of the proposed well, for example an irrigation well in the middle of a field, state that on the property map listed above and plot the well locations on that map.
- 3. Any well construction records available for existing wells on the property. Do not attach any well construction records for wells that are not on the property. If a Wisconsin Unique Well Number has not been assigned, write a well name or site well number on the record that correlates to the well name or number plotted on the maps.
- 4. For proposed wells with a capacity greater than 400 gallons per minute, include the performance curve or performance table that is provided by the pump manufacturer. If the pump will be a lineshaft turbine, provide a curve with the same rpm as the motor under
- 5. If more than one well is connected to a common plumbing system, also provide a schematic drawing of the system showing method of preventing backflow. This sketch must include the well discharge (pitless, over top of casing sanitary seal); the water line from the well; pressure tanks; sampling faucets; check valves; backflow preventers; air gaps; manually operated valves; water meters; pressure switches for pumps; and any other perlinent fittings. This schematic drawing must also identify which of these components are buried or above ground. If there is more than one check valve within the well casing, include in-well check valves on the
- 6. If reconstruction of an existing well is proposed, include a diagram of the current well construction and a diagram of the proposed 7.
- If the application is for a high capacity well or wells, a \$500.00 check payable to the Department of Natural Resources, unless the application is only for continued operation after a change of ownership.

## Certification and Applicant Signatures

If the application requests a variance for a well within 1,200 feet of a landfill, a well on a property with a groundwater use restriction, or any other variance to NR 812, Wis. Adm. Code, the property owner must sign the application. If the well operator will install a well on property that he or she does not own, the property owner must also sign the application. Otherwise, an agent of the owner may sign the

Unsigned and incomplete applications will not be approved.

By signing this form, the person signing this application certifies that to the best of his or her knowledge, all existing well installations on the property comply with ch. NR 812, Wis. Adm. Code. The person also certifies that to the best of his or her knowledge, all information

Name - Print	information			
Signature WETTSTEIN	Check Bo  Company		Agent of the Owner	
Application submittal. Mail completed application and Section - DG/2, PO Box 7921, Madison WI 53707-792	1,011.1	DNR. Private	0-2-2014 Water Systems	
Definitions from Wisconsin Administrative Codes	······································			
"High capacity well" means a well constructed on a high	capacity property. [NR 812.07(51)]			

"High capacity property" means one property on which a high capacity well system exists or is to be constructed. [NR 812.07(52)]

"High capacity well system" means one or more wells, drillholes or mine shafts used or to be used to withdraw water for any purpose on one property, if the total pumping or flowing capacity of all wells, drillholes or mine shafts on one property is 70 or more gallons per minute based on the pump curve at the lowest system pressure setting, or based on the flow rate. [NR 812.07(53)]

"Public water system" means a system for the provision to the public of piped water for human consumptions if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days per year. A public water system is either a community water system or a non-community water system. Such system includes: (a) Any collection, treatment, storage, and distribution facilities under control of the operator of such system and used primarily in connection with such system, and (b) Any collection or pretreatment storage facilities not under such control which are used primarily in connection with such system. [NR

"School" means a public or private educational facility in which a program of educational instruction is provided to children in any grade or grades from kindergarten through the 12th grade. Water systems serving athletic fields, school forests, environmental centers, home-based schools, day-care centers and Sunday schools are not school water systems. [NR 812.07(94)]

"Wastewater treatment plant" means any facility provided for the treatment of sanitary or industrial wastewater or both. The following types of facilities are excluded: (a) Facilities defined as private sewage systems in s. 145.01(12), Stats. (b) Pretreatment facilities from which effluent is directed to a public sewer system for treatment. (c) Industrial wastewater treatment facilities which consist solely of a